Yolco™
www.yolco.pl

Anytime. Anywhere. Cool.



INFLATABLE UTILITY TENT

NG250

USER MANUAL

1. Explanation of symbols



Important information regarding operation and maintenance. Failure to follow these instructions may result in personal injury, death, or property damage.



Before using the product, please read the operating instructions carefully.



Tips and additional information.




Before using the product, please read this instruction manual carefully. Keep this manual for future reference. The manufacturer shall not be held liable for any damage resulting from use not in accordance with the intended purpose or from improper operation.

The warnings and important safety information contained in this instruction manual do not cover all possible conditions and situations that may occur. The user is responsible for exercising caution and sound judgment when operating and maintaining the appliance.

Please send warranty claims to the following email address: pomoc@yolco.pl
When contacting an authorised service centre, please have the following information ready: model information and the serial number. This information can be found on the rating plate.

The contents of this instruction manual are subject to change without prior notice. The latest version is always available at: www.yolco.pl

2. Safety information




• The product is intended for temporary storage of property. It is not intended for long-term storage or for use as a sleeping or working space.

• Anchoring components have sharp ends. Careless use may cause serious injury. Keep out of reach of children. Children must not play with these components.

2. Safety information cont.

• Packaging must be kept away from children. Risk of suffocation.

• It is forbidden to sit, stand up or climb on the inflatable structure.

• Do not keep sharp objects near the product. This may cause damage to the product and/or personal injury.

• Keep away from fire and other heat sources. The use of stoves, heaters, gas appliances, liquid or solid fuels, and smoking inside the tent is strictly prohibited.

• The use of this product is not recommended when the ambient temperature is below 10°C.

• Do not use the tent during strong winds or other extreme weather conditions.


• Do not exceed the maximum permissible inflation pressure. Overinflation may cause damage to the product.

• The tent must be set up on a flat and clean surface, free from stones, branches, and sharp objects.

• Before each use, inspect the fabric, seams, and valves. Do not use the product if air leaks, cracks, or valve damage are detected.

• Any unauthorized modifications to the product structure are strictly prohibited.

3. Construction of the device



4. Assembly

1. Take the tent out of the carrying bag. Lay it flat on a level surface, free of sharp objects. The zippers of the entrances should be fully closed to avoid damaging the material during inflation.


2. Locate and open the inlet cap **(1)** on one of the valves, which is situated on the right outer part of the tent entrance.


3. Connect a pump that matches the valve diameter (not included) and inflate the frame with air. Make sure not to exceed the maximum allowed pressure – 7 PSI.

4. After inflating the frame, disconnect the pump and close the air valve. Ensure that the frame is properly inflated and that there are no air leaks.

5. Using the included anchors, secure the bottom edges of the tent to the ground. Then tighten and secure the guy lines to the ground.







5. Disassembly

1. Usuń z podłoża kotwy zabezpieczające.

2. Otwórz korek wylotowy **(2)** jednego z zaworów.

3. Po całkowitym wypuszczeniu powietrza ze stelaża złóż namiot na płasko i włóż do torby transportowej.

6. Cleaning and maintenance

• The tent cover and carrying bag are not suitable for machine washing. Clean them by hand in water up to 30°C. Do not machine wash. Do not use aggressive detergents. Do not bleach. Do not iron. Do not tumble dry.

• Before folding the tent, make sure it is completely dry and fully deflated. Storing a wet tent may lead to mold formation.

• Store the product in a cool, dry, and well-ventilated place, away from direct sunlight.



6. Technical Specifications

• Dimensions (L x W x H):
inflated - 250 x 250 x 200 cm (98,4 x 98,4 x 78,7 in)
folded - 66 x 34 x 34 cm (26,0 x 13,4 x 13,4 in)
• Net weight: 9.4 kg (20,7 lb)
• Maximum pressure: 7 PSI
• Valve type and diameter: Boston valve - Ø 17,2 mm (0.68 in)
• Material: Polyester, PVC

7. Package Contents

• Inflatable utility tent
• Storage bag
• Repair patch
• Anchors (x14)
• Instruction manual

Manuafacturer:
ARKAS Sp. z o.o.
ul. Kuziennicza 4,
59-400 Jawor, Polska
www.yolco.pl
www.yolco.de

89/JUL/25